



Omada 10G PoE++ Injector Adapter

Technical Specifications

Product Information

EAN	4895252506358
Brand	TP-Link
SKU	10448608
Manu Part #	POE380S

Weight & dimensions

Height	42 mm
Width	155 mm
Depth	70 mm

Packaging content

--	--

Number of products included	1 pc(s)
Quick installation guide	Yes

Sustainability	
Sustainability compliance	Yes

Network	
Networking standards	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3i, IEEE 802.3u
Power over Ethernet (PoE)	Yes
Ethernet interface type	10 Gigabit Ethernet
Cabling technology	1000/10000
Ethernet LAN data rates	10,100,2500,10000 Mbit/s

Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS

Features	
Product colour	Black

LED indicators	PoE, Power
----------------	------------

Operational conditions	
Operating temperature (T-T)	0 - 45 C
Operating relative humidity (H-H)	10 - 90
Storage relative humidity (H-H)	5 - 90
Storage temperature (T-T)	-40 - 70 C

Ports & interfaces	
RJ-45 output ports	1
RJ-45 input ports	1

Power	
AC adapter frequency	50 - 60 Hz
Input current	1.6 A
AC adapter input voltage	100 - 240 V

Product Description

90W 10G PoE++ Injector Unlocks peak performance for your 10G/Multi-Gig bandwidth and devices 10G Ports
Ensure Faster Connection Auto-negotiation for 6-speed (10 Gbps/5 Gbps/2.5 Gbps/1 Gbps/100 Mbps /10 Mbps) Auto Detect the Required Power, Up to 90 W Standard 802.3af/at/bt for Various Powered Devices

